



Oil Pattern Distance	39	Reverse Brush Drop	38	Oil Per Board	45 ul
Forward Oil Total	15.525 mL	Reverse Oil Total	13.005 mL	Volume Oil Total	28.53 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	FIRE

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	10	A		37	0.0	0.0	0.0 1665
2	5L	5R	2	14	A		62	0.0	3.9	3.9 2790
3	7L	7R	3	14	A		81	3.9	9.8	5.9 3645
4	9L	9R	3	14	A		69	9.8	15.7	5.9 3105
5	11L	11R	3	14	A		57	15.7	21.6	5.9 2565
6	14L	14R	3	18	A		39	21.6	29.2	7.6 1755
7	2L	2R	0	22	A		0	29.2	39.0	9.8 0



	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	22	A		0	39.0	36.0	-3.0 0
2	12L	12R	3	18	A		51	36.0	28.4	-7.6 2295
3	11L	11R	3	14	A		57	28.4	22.5	-5.9 2565
4	9L	9R	3	14	A		69	22.5	16.6	-5.9 3105
5	7L	7R	2	14	A		54	16.6	12.7	-3.9 2430
6	6L	6R	2	14	A		58	12.7	8.8	-3.9 2610
7	2L	2R	0	10	A		0	8.8	0.0	-8.8 0

Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle:Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	7	1.57	1.02	1.02	1.57	7

